



AP100Compact airpad system

- Suitable for every work station
- Heavy duty design for continuous operation
- Modular setup for enhanced productivity



Suitable for every work station

- Small footprint for easy integration
- Stand-alone or multiple operator configurations
- Ideal for decentralized packaging stations

Designed for optimum ergonomics

- Fast learning and user-friendly operation
- · Simple control panel
- Silent hopper operation
- · Quick and easy film loading
- Rotating display for easy panel reading

Modular setup for enhanced productivity

- Overhead hoppers and on-floor storage bins
- · Automatic replenishment
- Foot switch operation
- Manual pad holder for easy dispensing
- Front and side embedded photocells for automatic use







FROMM technology

- Heavy duty design for continuous operation
- Efficient technical support
- End-of-the-line expertise





AP100 Technical specifications

Power supply: 90-240V-50/60HzWeight: 11,4 kg (without options)

Speed: 10-16 m/mnFilm quality: PE

• Film width: 200 mm, 400 mm






AirPad AP100


code 50.2103

Options




Compact mobile bin with articulated arm and pad holder

code 50.2119



Electric overhead dispensing system

code 50.2118



Manual overhead dispensing system

code 50.2117



		Standard	Strong	Extra Strong	H ₂ O O ₂ Barrier	★ Anti-Static	Recycled	Bio-based
200x80mm)==		900 m					
			4.0-5.0 m ³ /roll					
200x120mm	1			650 m	In development			
				3.5-4.0 m ³ /roll				
200x135mm		1100 m	900 m			In development	In development	In development
		6.0-6.5 m ³ /roll	5.0-5.5 m ³ /roll					
200x200mm		1100 m	900 m					
		8.5-10.0 m ³ /roll	7.0-8.0 m ³ /roll					
300x135mm			600 m	450 m				
			5.0-6.0 m ³ /roll	3.5-4.0 m ³ /roll				
400x135mm*	7		450 m					
			4.5-5.0 m ³ /roll					
400x150mm* 2 Pads	口口	500 m			In development			
		8.5-9.0 m ³ /roll						
400x150mm* 8 Pads	() () () () () ()	500 m		350 m	In development			
		200 m²/roll		140 m²/roll				

FROMM stands for development, production, consultancy, sales, service – worldwide and from a single supplier! Benefit from our expertise!



FROMM HOLDING AG

Hinterbergstrasse 26 CH-6330 Cham Switzerland

Tel. +41 56 419 10 20 Fax +41 56 419 10 30 www.fromm-pack.com